
Posted by [akrush](#) on Sun, 12 Jun 2022 10:08:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE ALL_srv (  
  COD_ORG SMALLINT NOT NULL,  
  COD_POSL SMALLINT,  
  COD_RIZN SMALLINT,  
  data_e DATE  
);  
CREATE TABLE all_TAR (  
  MARK varchar(15),  
  COD_POSL SMALLINT NOT NULL,  
  COD_RIZN SMALLINT NOT NULL,  
  COST_UNIT NUMERIC(10,5),  
  COST_UN1 NUMERIC(10,5),  
  NORM NUMERIC(10,5)  
);  
commit;  
  
INSERT into ALL_srv SELECT DISTINCT cod_org, 4, posl4, max(data_e) from SERVICE1  
WHERE posl4<>0 group BY cod_org, posl4;  
INSERT into ALL_srv SELECT DISTINCT cod_org, 8, posl8, max(data_e) from SERVICE1  
WHERE posl8<>0 group BY cod_org, posl8;  
commit;  
  
tr.COST_UNIT, tr.COST_UN1, tr.NORM  
  from TARIF1 tr where tr.data_e is NULL and tr.tarn=0 and tr.cod_posl=4 and tr.numb=1;  
  
tr.COST_UNIT, tr.COST_UN1, tr.NORM  
  from TARIF1 tr where tr.data_e is NULL and tr.tarn=0 and tr.cod_posl=8 and tr.numb=1;  
  
CREATE INDEX IDX_ALL_srv ON ALL_srv (COD_ORG,COD_POSL,COD_rizn);  
commit;  
  
select  
  tr.MARK,
```

```

tr.COD_POSL,
tr.COD_RIZN,
tr.COST_UNIT,
tr.COST_UN1,
tr.NORM,
list(distinct sr.COD_ORG,'; '),
max(sr.DATA_E)
from ALL_TAR tr
LEFT JOIN all_srv sr on tr.COD_POSL=sr.COD_POSL and tr.COD_RIZN=sr.COD_RIZN
group BY tr.MARK,
tr.COD_POSL,
tr.COD_RIZN,
tr.COST_UNIT,
tr.COST_UN1,
tr.NORM

```

```

WITH ALL_TAR as (
  select
    case MARK

      end as lich,
      COD_POSL, COD_RIZN, COST_UNIT, COST_UN1, NORM
  from
    TARIF1
  where
    data_e is NULL and
    tarn=0 and
    cod_posl=4 and
    numb=1
  union all
  select
    case MARK

      end as lich,
      COD_POSL, COD_RIZN, COST_UNIT, COST_UN1, NORM
  from
    TARIF1
  where
    data_e is NULL
    and tarn=0
    and cod_posl=8
    and numb=1)
with all_srv as (

```

```
SELECT DISTINCT cod_org, 4, posl4, max(data_e)
from SERVICE1
WHERE posl4<>0
group BY cod_org, posl4
union all
SELECT DISTINCT cod_org, 8, posl8, max(data_e)
from SERVICE1
WHERE posl8<>0
group BY cod_org, posl8);
```

```
select
tr.MARK,
tr.COD_POSL,
tr.COD_RIZN,
tr.COST_UNIT,
tr.COST_UN1,
tr.NORM,
list(distinct sr.COD_ORG,','; '),
max(sr.DATA_E)
from ALL_TAR tr
LEFT JOIN all_srv sr on tr.COD_POSL=sr.COD_POSL and tr.COD_RIZN=sr.COD_RIZN
group BY tr.MARK,
tr.COD_POSL,
tr.COD_RIZN,
tr.COST_UNIT,
tr.COST_UN1,
tr.NORM
```
