
Posted by [JustAlex](#) on Mon, 04 Mar 2024 12:15:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
SELECT e.last_name,  
       e.first_name,  
       e.store_id as store_id_employee,  
       r.store_id as store_id_rank,  
       r.rank_id,  
       r.name as rank_name  
FROM employee e  
JOIN rank r  
  ON r.store_id = e.store_id  
  OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)  
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
SELECT e.last_name,  
       e.first_name,  
       e.store_id AS store_id_employee,  
       r.store_id AS store_id_rank,  
       r.rank_id,  
       r.name AS rank_name  
FROM employee e  
JOIN rank r  
  ON r.rank_id = e.rank_id  
  AND r.store_id != e.store_id  
  OR r.store_id = e.store_id  
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
FROM employee e
JOIN rank r
  ON r.store_id = e.store_id
  AND r.rank_id = e.rank_id
...
```

```
FROM employee e
JOIN rank r
  ON r.store_id = e.store_id
  OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)
```

```
SELECT e.last_name,
       e.first_name,
       e.store_id AS store_id_employee,
       r.store_id AS store_id_rank,
       r.rank_id,
       r.name AS rank_name
FROM employee e
JOIN rank r
  ON r.rank_id = e.rank_id
  AND r.store_id != e.store_id
  OR r.store_id = e.store_id
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
ON r.rank_id = e.rank_id
AND r.store_id = e.store_id
OR r.store_id != e.store_id
```

File Attachments

1) , downloaded 838 times

Редактор кода

Решение



```
1 SELECT *
2 FROM employee e|
```

Мой результат

	employee_id	store_id	rank_id	first_
1	1	100	CHIEF	Алек
2	2	200	CHIEF	Кенн

2)

, downloaded 829 times

Редактор кода

Решение



```
1 SELECT *
2 FROM rank e
```

Мой результат

	store_id	rank_id	name
1	100	CHIEF	Директор
2	100	MANAGER	Менеджер

3)
times

, downloaded 830

Схема данных

Временные зоны

timezone_id

* time_offset

City

Города

city_id

* name

* timezone_id

Rank

Должности

store_id

rank_id

* name

Store_address

Адреса магазинов

* store_address_id

* store_id

Store

Магазины

store_id

* name

