
Subject: ALTER SESSION RESET

Posted by [Dmitry Kovalenko](#) on Fri, 09 Jun 2023 08:48:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

"invalid request handle".

ISC_API_IN [#000001]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000000)

ISC_API_OUT[#000001]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000001) return OK.

ISC_API_IN [#000002]:

isc_dsqli_prepare_m(...,tr_handle=&tr00000000,stmt_handle=&stmt00000001,...)

[stmt_text len:0]

set transaction

[/stmt_text]

ISC_API_OUT[#000002]:

isc_dsqli_prepare_m(...,tr_handle=&tr00000000,stmt_handle=&stmt00000001,...) return OK.

ISC_API_IN [#000003]:

isc_dsqli_execute2_m(...,tr_handle=&tr00000000,stmt_handle=&stmt00000001,...)

ISC_API_OUT[#000003]:

isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000001,...) return OK.

ISC_API_IN [#000004]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000000)

ISC_API_OUT[#000004]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000002) return

```

OK.
ISC_API_IN [#000005]:
isc_dsqli_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...)
[stmt_text len:0]
select * from rdb$fields
[/stmt_text]
ISC_API_OUT[#000005]:
isc_dsqli_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...) return OK.
ISC_API_IN [#000006]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000006]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...) return OK.
ISC_API_IN [#000007]:
isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000000)
ISC_API_OUT[#000007]:
isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000003) return
OK.
ISC_API_IN [#000008]:
isc_dsqli_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...)
[stmt_text len:0]
alter session reset
[/stmt_text]
ISC_API_OUT[#000008]:
isc_dsqli_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...) return OK.
ISC_API_IN [#000009]: isc_dsqli_free_statement(...,stmt_handle=&stmt00000001,2)
ISC_API_OUT[#000009]: isc_dsqli_free_statement(...,stmt_handle=&stmt00000000,2) return OK.
ISC_API_IN [#000010]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...)
ISC_API_OUT[#000010]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...) return OK.
ISC_API_IN [#000011]: isc_dsqli_fetch_m(...,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000011]: isc_dsqli_fetch_m(...,stmt_handle=&stmt00000002,...) return ERROR
[335544327]
invalid request handle
ISC_API_IN [#000012]: isc_dsqli_free_statement(...,stmt_handle=&stmt00000002,1)
ISC_API_OUT[#000012]: isc_dsqli_free_statement(...,stmt_handle=&stmt00000002,1) return OK.
ISC_API_IN [#000013]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000013]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...) return OK.
ISC_API_IN [#000014]: isc_dsqli_fetch_m(...,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000014]: isc_dsqli_fetch_m(...,stmt_handle=&stmt00000002,...) return ERROR
[335544436]
SQL error code = -502
Attempt to reopen an open cursor
ISC_API_IN [#000015]: isc_dsqli_free_statement(...,stmt_handle=&stmt00000003,2)
ISC_API_OUT[#000015]: isc_dsqli_free_statement(...,stmt_handle=&stmt00000000,2) return OK.

```

Subject: Re: ALTER SESSION RESET
Posted by [hvlad](#) on Fri, 09 Jun 2023 09:16:13 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: ALTER SESSION RESET
Posted by [Dmitry Kovalenko](#) on Fri, 09 Jun 2023 10:01:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
ISC_API_IN [#000001]:
isc_dsqli_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000000)
ISC_API_OUT[#000001]:
isc_dsqli_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000001) return OK.
ISC_API_IN [#000002]:
isc_dsqli_prepare_m(...,tr_handle=&tr0000000000000000,stmt_handle=&stmt0000000000000001,
...)
[stmt_text len:0]
set transaction
[/stmt_text]
ISC_API_OUT[#000002]:
isc_dsqli_prepare_m(...,tr_handle=&tr0000000000000000,stmt_handle=&stmt0000000000000001,
...) return OK.
ISC_API_IN [#000003]:
isc_dsqli_execute2_m(...,tr_handle=&tr0000000000000000,stmt_handle=&stmt0000000000000000
1,...)
ISC_API_OUT[#000003]:
isc_dsqli_execute2_m(...,tr_handle=&tr00000000000000001,stmt_handle=&stmt0000000000000000
1,...) return OK.
ISC_API_IN [#000004]:
isc_dsqli_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000000)
ISC_API_OUT[#000004]:
isc_dsqli_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000002) return OK.
ISC_API_IN [#000005]:
isc_dsqli_prepare_m(...,tr_handle=&tr00000000000000001,stmt_handle=&stmt0000000000000002,
...)
[stmt_text len:0]
select * from rdb$fields
[/stmt_text]
ISC_API_OUT[#000005]:
isc_dsqli_prepare_m(...,tr_handle=&tr00000000000000001,stmt_handle=&stmt0000000000000002,
...) return OK.
```

```

ISC_API_IN [#000006]:
isc_dsql_execute2_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000000
2,...)
ISC_API_OUT[#000006]:
isc_dsql_execute2_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000000
2,...) return OK.
ISC_API_IN [#000007]:
isc_dsql_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000000)
ISC_API_OUT[#000007]:
isc_dsql_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000003) return OK.
ISC_API_IN [#000008]:
isc_dsql_prepare_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000003,
...)
[stmt_text len:0]
alter session reset
[/stmt_text]
ISC_API_OUT[#000008]:
isc_dsql_prepare_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000003,
...) return OK.
ISC_API_IN [#000009]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000001,2)
ISC_API_OUT[#000009]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000000,2)
return OK.
ISC_API_IN [#000010]:
isc_dsql_execute2_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000000
3,...)
ISC_API_OUT[#000010]:
isc_dsql_execute2_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000000
3,...) return OK.
ISC_API_IN [#000011]: isc_dsql_fetch_m(...,stmt_handle=&stmt0000000000000002,...)
ISC_API_OUT[#000011]: isc_dsql_fetch_m(...,stmt_handle=&stmt0000000000000002,...) return
ERROR [335544327]
invalid request handle
ISC_API_IN [#000012]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000002,1)
ISC_API_OUT[#000012]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000002,1)
return ERROR [335544327]
invalid request handle
ISC_API_IN [#000013]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000002,1)
ISC_API_OUT[#000013]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000002,1)
return ERROR [335544327]
invalid request handle
ISC_API_IN [#000014]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000002,2)
ISC_API_OUT[#000014]: isc_dsql_free_statement(...,stmt_handle=&stmt0000000000000002,2)
return ERROR [335544327]
invalid request handle
ISC_API_IN [#000015]:
isc_dsql_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000

```

00000000)
ISC_API_OUT[#000015]:
isc_dsqli_allocate_statement(...,db_handle=&db0000000000000002,stmt_handle=&stmt00000000
00000004) return OK.
ISC_API_IN [#000016]:
isc_dsqli_prepare_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000004,
...)
[stmt_text len:0]
select * from rdb\$fields
[/stmt_text]
ISC_API_OUT[#000016]:
isc_dsqli_prepare_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000004,
...) return OK.
ISC_API_IN [#000017]:
isc_dsqli_execute2_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000000
4,...)
ISC_API_OUT[#000017]:
isc_dsqli_execute2_m(...,tr_handle=&tr0000000000000001,stmt_handle=&stmt0000000000000000
4,...) return OK.
ISC_API_IN [#000018]: isc_dsqli_fetch_m(...,stmt_handle=&stmt0000000000000004,...)
ISC_API_OUT[#000018]: isc_dsqli_fetch_m(...,stmt_handle=&stmt0000000000000004,...) return
OK.
ISC_API_IN [#000019]: isc_dsqli_free_statement(...,stmt_handle=&stmt0000000000000003,2)
ISC_API_OUT[#000019]: isc_dsqli_free_statement(...,stmt_handle=&stmt0000000000000000,2)
return OK.

Subject: Re: ALTER SESSION RESET
Posted by [SD](#) on Fri, 09 Jun 2023 11:22:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: ALTER SESSION RESET
Posted by [Dmitry Kovalenko](#) on Fri, 09 Jun 2023 11:26:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: ALTER SESSION RESET
Posted by [hvlad](#) on Fri, 09 Jun 2023 21:27:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: ALTER SESSION RESET
Posted by [Dmitry Kovalenko](#) on Fri, 09 Jun 2023 22:55:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

<https://github.com/FirebirdSQL/firebird/issues/7625>

I did my best.

Subject: Re: ALTER SESSION RESET
Posted by [hvlad](#) on Sat, 10 Jun 2023 08:41:21 GMT
[View Forum Message](#) <> [Reply to Message](#)
