

---

Posted by [shalamyansky](#) on Wed, 20 Sep 2023 16:08:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

coalesce( x, long\_read() )

```
result = x;
y      = long_read();
if( result is null ) then begin
    result = y;
end
```

```
result = x;
if( result is null ) then begin
    result = long_read();
end
```

P.S.

P.P.S.

---

Posted by [shalamyansky](#) on Wed, 20 Sep 2023 16:32:03 GMT

```
CASE
WHEN (expression1 IS NOT NULL) THEN expression1
WHEN (expression2 IS NOT NULL) THEN expression2
...
ELSE expressionN
END
```

---

---

Posted by [shavluk](#) on Wed, 20 Sep 2023 16:41:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [shalamyansky](#) on Wed, 20 Sep 2023 20:37:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [sim\\_84](#) on Thu, 21 Sep 2023 06:21:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [shalamyansky](#) on Thu, 21 Sep 2023 12:19:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

id = coalesce( x, gen\_id() )

P.S.

---

---

Posted by            on Thu, 21 Sep 2023 13:59:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---