
Subject: ALTER SESSION RESET

Posted by [Dmitry Kovalenko](#) on Fri, 09 Jun 2023 08:48:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

"invalid request handle".

ISC_API_IN [#000001]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000000)

ISC_API_OUT[#000001]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000001) return OK.

ISC_API_IN [#000002]:

isc_dsqli_prepare_m(...,tr_handle=&tr00000000,stmt_handle=&stmt00000001,...)

[stmt_text len:0]

set transaction

[/stmt_text]

ISC_API_OUT[#000002]:

isc_dsqli_prepare_m(...,tr_handle=&tr00000000,stmt_handle=&stmt00000001,...) return OK.

ISC_API_IN [#000003]:

isc_dsqli_execute2_m(...,tr_handle=&tr00000000,stmt_handle=&stmt00000001,...)

ISC_API_OUT[#000003]:

isc_dsqli_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000001,...) return OK.

ISC_API_IN [#000004]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000000)

ISC_API_OUT[#000004]:

isc_dsqli_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000002) return

```

OK.
ISC_API_IN [#000005]:
isc_dsql_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...)
[stmt_text len:0]
select * from rdb$fields
[/stmt_text]
ISC_API_OUT[#000005]:
isc_dsql_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...) return OK.
ISC_API_IN [#000006]:
isc_dsql_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000006]:
isc_dsql_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...) return OK.
ISC_API_IN [#000007]:
isc_dsql_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000000)
ISC_API_OUT[#000007]:
isc_dsql_allocate_statement(...,db_handle=&db00000001,stmt_handle=&stmt00000003) return
OK.
ISC_API_IN [#000008]:
isc_dsql_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...)
[stmt_text len:0]
alter session reset
[/stmt_text]
ISC_API_OUT[#000008]:
isc_dsql_prepare_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...) return OK.
ISC_API_IN [#000009]: isc_dsql_free_statement(...,stmt_handle=&stmt00000001,2)
ISC_API_OUT[#000009]: isc_dsql_free_statement(...,stmt_handle=&stmt00000000,2) return OK.
ISC_API_IN [#000010]:
isc_dsql_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...)
ISC_API_OUT[#000010]:
isc_dsql_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000003,...) return OK.
ISC_API_IN [#000011]: isc_dsql_fetch_m(...,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000011]: isc_dsql_fetch_m(...,stmt_handle=&stmt00000002,...) return ERROR
[335544327]
invalid request handle
ISC_API_IN [#000012]: isc_dsql_free_statement(...,stmt_handle=&stmt00000002,1)
ISC_API_OUT[#000012]: isc_dsql_free_statement(...,stmt_handle=&stmt00000002,1) return OK.
ISC_API_IN [#000013]:
isc_dsql_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000013]:
isc_dsql_execute2_m(...,tr_handle=&tr00000001,stmt_handle=&stmt00000002,...) return OK.
ISC_API_IN [#000014]: isc_dsql_fetch_m(...,stmt_handle=&stmt00000002,...)
ISC_API_OUT[#000014]: isc_dsql_fetch_m(...,stmt_handle=&stmt00000002,...) return ERROR
[335544436]
SQL error code = -502
Attempt to reopen an open cursor
ISC_API_IN [#000015]: isc_dsql_free_statement(...,stmt_handle=&stmt00000003,2)
ISC_API_OUT[#000015]: isc_dsql_free_statement(...,stmt_handle=&stmt00000000,2) return OK.

```

