
Posted by [protector](#) on Wed, 14 Jun 2023 13:21:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE NEW_TABLE (
    F1 INTEGER,
    F2 INTEGER
);
```

```
SET TERM ^ ;
```

```
CREATE OR ALTER TRIGGER NEW_TABLE_AIUD0 FOR NEW_TABLE
ACTIVE AFTER INSERT OR UPDATE OR DELETE POSITION 0
as
begin
```

```
end
```

```
^
```

```
execute block
returns(ID int)
as
begin
    in autonomous transaction do
        execute statement 'drop trigger NEW_TABLE_AIUD0';
```

```
suspend; --different errors
```

```
execute statement 'alter table NEW_TABLE alter F2 position 1';
end
^
```

```
/* without suspend;
```

Undefined name.
unsuccessful metadata update.
ALTER TABLE NEW_TABLE failed.

SQL error code = -204.
Table unknown.
NEW_TABLE.
<Missing arg #1 - possibly status vector overflow>.

SQLCODE: -204
SQLSTATE: 42S02
GDSCODE: 335544351*/

/* with suspend;

This operation is not defined for system tables.
unsuccessful metadata update.
ALTER TABLE NEW_TABLE failed.
deadlock.
update conflicts with concurrent update.
concurrent transaction number is 215649.
At block line: 10, col: 3.*/
