

---

Posted by [JustAlex](#) on Mon, 04 Mar 2024 12:15:34 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
SELECT e.last_name,  
       e.first_name,  
       e.store_id as store_id_employee,  
       r.store_id as store_id_rank,  
       r.rank_id,  
       r.name as rank_name  
FROM employee e  
JOIN rank r  
  ON r.store_id = e.store_id  
  OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)  
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
SELECT e.last_name,  
       e.first_name,  
       e.store_id AS store_id_employee,  
       r.store_id AS store_id_rank,  
       r.rank_id,  
       r.name AS rank_name  
FROM employee e  
JOIN rank r  
  ON r.rank_id = e.rank_id  
  AND r.store_id != e.store_id  
  OR r.store_id = e.store_id  
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
FROM employee e
JOIN rank r
  ON r.store_id = e.store_id
  AND r.rank_id = e.rank_id
...
```

```
FROM employee e
JOIN rank r
  ON r.store_id = e.store_id
  OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)
```

```
SELECT e.last_name,
       e.first_name,
       e.store_id AS store_id_employee,
       r.store_id AS store_id_rank,
       r.rank_id,
       r.name AS rank_name
FROM employee e
JOIN rank r
  ON r.rank_id = e.rank_id
  AND r.store_id != e.store_id
  OR r.store_id = e.store_id
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
ON r.rank_id = e.rank_id
AND r.store_id = e.store_id
OR r.store_id != e.store_id
```

## File Attachments

---

1) , downloaded 166 times

Редактор кода

Решение



```
1 SELECT *
2 FROM employee e|
```

Мой результат

|   | employee_id | store_id | rank_id | first |
|---|-------------|----------|---------|-------|
| 1 | 1           | 100      | CHIEF   | Алек  |
| 2 | 2           | 200      | CHIEF   | Кенн  |

2)

, downloaded 163 times

Редактор кода

Решение



```
1 SELECT *  
2 FROM rank e
```

Мой результат

|   | store_id | rank_id | name     |
|---|----------|---------|----------|
| 1 | 100      | CHIEF   | Директор |
| 2 | 100      | MANAGER | Менеджер |

3)  
times

, downloaded 164



## Схема данных

### Временные зоны

# timezone\_id

\* time\_offset

### City

Города

# city\_id

\* name

\* timezone\_id

### Rank

Должности

# store\_id

# rank\_id

\* name

### Store\_address

Адреса магазинов

\* store\_address\_id

\* store\_id

### Store

Магазины

# store\_id

\* name