

```
CREATE TABLE test_tbl (  
    u_name varchar NOT NULL,  
    u_color varchar NULL  
);
```

```
INSERT INTO test_tbl (u_name, u_color) values ('Ivanov', 'RED');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'YELLOW');  
INSERT INTO test_tbl (u_name, u_color) values ('Ivanov', 'RED');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'YELLOW');  
INSERT INTO test_tbl (u_name, u_color) values ('Ivanov', 'GREEN');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'PERFECT');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'RED');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'GREEN');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'GREEN');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'YELLOW');  
INSERT INTO test_tbl (u_name, u_color) values ('Ivanov', 'RED');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'PERFECT');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'PERFECT');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'YELLOW');  
INSERT INTO test_tbl (u_name, u_color) values ('Ivanov', 'GREEN');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'RED');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'RED');  
INSERT INTO test_tbl (u_name, u_color) values ('Petrov', 'GREEN');  
INSERT INTO test_tbl (u_name, u_color) values ('Ivanov', 'YELLOW');  
INSERT INTO test_tbl (u_name, u_color) values ('Sidorov', 'RED');
```

Name/Color	RED	YELLOW	GREEN	PURPLE
Ivanov	3	1	2	0
Petrov	2	3	1	1
Sidorov	2	1	2	2

Posted by [BlackEric](#) on Fri, 11 Nov 2022 10:13:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
Select u_name, GREEN, RED, YELLOW, PERFECT
From test_tbl
PIVOT (count(u_color) for u_color in (GREEN, RED, YELLOW, PERFECT)
      ) AS test_pivot
```

Posted by [Newbee](#) on Fri, 11 Nov 2022 11:03:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [BlackEric](#) on Fri, 11 Nov 2022 12:50:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
SELECT u_name,
       count(u_color) FILTER (WHERE u_color= "GREEN") AS "GREEN",
       count(u_color) FILTER (WHERE u_color= "RED") AS "RED",
       count(u_color) FILTER (WHERE u_color= "YELLOW") AS "YELLOW",
       count(u_color) FILTER (WHERE u_color= "PERFECT") AS "PERFECT"
FROM test_tbl
GROUP BY u_name;
```

Posted by [fraks](#) on Sun, 13 Nov 2022 10:50:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

<http://sql2.ru/viewtopic.php?t=79&sid=28f6ea99c39e8c3b74230a6d7ec6d19d>

```
select
  u_name,
  --
  sum ( case when u_color = 'RED' then 1 else 0 end ) as RED,
```

```
sum ( case when u_color = 'YELLOW' then 1 else 0 end ) as YELLOW,  
sum ( case when u_color = 'GREEN' then 1 else 0 end ) as GREEN,  
sum ( case when u_color = 'PERFECT' then 1 else 0 end ) as PERFECT,  
sum ( case when u_color = 'PURPLE' then 1 else 0 end ) as PURPLE  
  
from  
  test_tbl  
  
group by  
  u_name  
;
```

```
+=====+=====+=====+=====+=====+=====+  
| u_name | red | yellow | green | perfect | purple |  
+=====+=====+=====+=====+=====+=====+  
| Petrov | 2 | 3 | 1 | 1 | 0 |  
| Sidorov | 2 | 1 | 2 | 2 | 0 |  
| Ivanov | 3 | 1 | 2 | 0 | 0 |  
+-----+-----+-----+-----+-----+-----+
```

Posted by [Newbee](#) on Mon, 14 Nov 2022 07:05:32 GMT
[View Forum Message](#) <> [Reply to Message](#)
