

---

Posted by [ang667s@mail.ru](mailto:ang667s@mail.ru) on Thu, 04 May 2023 15:29:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

```
create or replace procedure upprice(hotel_id int,amount int)
LANGUAGE plpgsql
AS $$
begin
  update hotels
  set price = price + amount
  where hotels.id = hotel_id;
end;
$$;
```

### File Attachments

---

1) [\[Image\]](#), downloaded  
3223 times

The screenshot shows the DBeaver 22.3.3 interface. The main window is titled "DBEaver 22.3.3 - <rovfqhzy> Console". The menu bar includes "Файл", "Редактирование", "Навигация", "Поиск", "Редактор SQL", "База данных", "Окна", and "Справка". The toolbar contains icons for "SQL", "Commit", "Rollback", and "Auto". The left sidebar shows a tree view of the database structure, including "Базы данных", "rovfqhzy", "Схемы", "public", "Таблицы", "countries", "hotels", "regions", "Представления", "Мат. представления", "Индексы", "Функции", and "Последовательности". The main console area displays the following SQL code:

```
create or replace procedure upprice(hotel_id int,amount int)
LANGUAGE plpgsql
AS $$
begin
    update hotels
    set price = price + amount
    where hotels.id = hotel_id;
end;
$$;
```

An "Execution Error" dialog box is overlaid on the console. It contains a warning icon and the following text:

Error occurred during SQL query execution

Причина:  
SQL Error [42601]: ERROR: syntax error at or near "procedure"  
Позиция: 19

The dialog box has three buttons: "Остановить", "Повторить", and "Сведения >>".

---

Posted by \_\_\_\_\_ on Thu, 04 May 2023 15:48:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

Posted by [ang667s@mail.ru](#) on Thu, 04 May 2023 16:20:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by            on Fri, 05 May 2023 09:20:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

---

---

Posted by [LM](#) on Sat, 29 Jul 2023 09:30:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---