
Posted by [Dmitry Kovalenko](#) on Fri, 30 Jun 2023 06:36:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
select extract(TIMEZONE_HOUR from cast('2023-06-19 10:02:30 Europe/Moscow' as timestamp
with time zone)) from rdb$database;
```

```
select cast(cast('2023-06-19 10:02:30 Europe/Moscow' as timestamp with time zone) as
VARCHAR(128)) from rdb$database;
```

"Kurope/Loscow"?

File Attachments

1) [2023_06_30--001--ibe--unknown_tz_region.png](#), downloaded 2675 times

Error



can't format message 13:99 -- message file C:\WINDOWS\SYSTEM32\firebird.msg no
Invalid time zone region: Kurope/Moscow.

SQLCODE: -901
SQLSTATE: 22009
GDSCODE: 335545214

OK

2) [2023_06_30--002b--fb--TimeZoneUtil__extractOffset.png](#), downloaded 2648 times

```
590
591     UCalendar* icuCalendar = icuLib.icalOpen( ≤ 3ms elapsed
592         getDesc(timestampTz.time_zone)->getUnicodeName
593
594     if (!icuCalendar)
```

| Name | Value |
|--|---|
| ▶ `anonymous namespace'::TimeZoneDesc::getUnicodeName returned | 0x0000000004dc |
| ▶ displacement | -13108 |
| ▶ icuCalendar | 0xc000000000000000 |
| ▶ icuErrorCode | U_ZERO_ERROR (0) |
| ▶ icuLib | {ucnv_open_63=icuLib |
| ▶ offset | 0x000000000024e |
| ▶ timestampTz | {utc_timestamp={0}, timestamp_date={0}} |
| ▶ utc_timestamp | 0 |
| ▶ time_zone | 65064 |

3) [2023_06_30--003--ibe--Kurope_Moscow__TIMEZONE_HOUR.png](#), downloaded 2634 times

| Field Name | Type | Null | Value |
|------------|----------|--------------------------|-------|
| EXTRACT | SMALLINT | <input type="checkbox"/> | 0 |

4) [2023_06_30--004--ibe--Kurope_Moscow__name.png](#), downloaded 2645 times

| Style: Classic | | Memos height: 150 | | <input type="checkbox"/> Memos Word Wrap |
|----------------|--------------|--------------------------|-----------------------------|--|
| Field Name | Type | Null | Value | |
| CAST | VARCHAR(128) | <input type="checkbox"/> | 2023-06-19 10:02:30.0000 Ku | |

5) [2023_06_30--005--ibe--Kurope_Loscow__name.png](#), downloaded 2640 times

| Style: Classic | | Memos height: 150 | | <input type="checkbox"/> Memos Word Wrap |
|----------------|--------------|--------------------------|------------------------------|--|
| Field Name | Type | Null | Value | |
| CAST | VARCHAR(128) | <input type="checkbox"/> | 2023-06-19 10:02:30.0000 Kur | |

Posted by [fraks](#) on Fri, 30 Jun 2023 08:36:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

<https://habr.com/ru/articles/130401/>

Posted by [fraks](#) on Fri, 30 Jun 2023 08:47:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by _____ on Fri, 30 Jun 2023 12:48:15 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by

on Fri, 30 Jun 2023 13:13:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

<https://www.youtube.com/watch?v=wBilsgTljdg>

Posted by [Dmitry Kovalenko](#) on Fri, 30 Jun 2023 13:26:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Sat, 01 Jul 2023 17:08:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

doc\sql.extensions\README.time_zone.md### Function `DATABASE_VERSION`
`RDB\$TIME_ZONE_UTIL.DATABASE_VERSION` returns the time zone database version.

Posted by [hvlad](#) on Sat, 01 Jul 2023 17:10:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [Dmitry Kovalenko](#) on Mon, 03 Jul 2023 05:06:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

doc\sql.extensions\README.time_zone.md### Function `DATABASE_VERSION`
`RDB\$TIME_ZONE_UTIL.DATABASE_VERSION` returns the time zone database version.

Note: When unknown TimeZone ID is specified or if the TimeZone ID specified is "Etc/Unknown", the UCalendar returned by the function is initialized with GMT zone with TimeZone ID UCAL_UNKNOWN_ZONE_ID ("Etc/Unknown") without any errors/warnings.

Posted by [hvlad](#) on Mon, 03 Jul 2023 07:23:12 GMT
[View Forum Message](#) <> [Reply to Message](#)
