
Posted by [shalamyansky](#) on Wed, 20 Sep 2023 16:08:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
coalesce( x, long_read() )
```

```
result = x;  
y      = long_read();  
if( result is null ) then begin  
    result = y;  
end
```

```
result = x;  
if( result is null ) then begin  
    result = long_read();  
end
```

P.S.

P.P.S.

Posted by [shalamyansky](#) on Wed, 20 Sep 2023 16:32:03 GMT

```
CASE  
WHEN (expression1 IS NOT NULL) THEN expression1  
WHEN (expression2 IS NOT NULL) THEN expression2  
...  
ELSE expressionN  
END
```

Posted by [shavluk](#) on Wed, 20 Sep 2023 16:41:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Wed, 20 Sep 2023 20:37:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [sim_84](#) on Thu, 21 Sep 2023 06:21:20 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Thu, 21 Sep 2023 12:19:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

id = coalesce(x, gen_id())

P.S.

Posted by _____ on Thu, 21 Sep 2023 13:59:21 GMT
[View Forum Message](#) <> [Reply to Message](#)
