
Subject: Wirecompression

Posted by [Janex](#) on Fri, 20 Oct 2023 07:51:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

FB 3

N2IS=z:\Data\N2IS.fdb

```
{  
  RemoteAccess = true  
  DefaultDbCachePages = 50  
  WireCompression = true  
}
```

INET/inet_error: read errno = 10054

WBR
Janex

Subject: Re: Wirecompression

Posted by _____ on Fri, 20 Oct 2023 09:34:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

'WIRE_COMPRESSED')

Subject: Re: Wirecompression
Posted by [hvlad](#) on Fri, 20 Oct 2023 09:49:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
#  
# Should connection over the wire be compressed?  
# Client only value - server should follow client setting if connect using  
# correct protocol (>=13).  
#  
# Per-connection configurable.  
#  
# Type: boolean  
#  
#WireCompression = false
```

Subject: Re: Wirecompression
Posted by [kdv](#) on Sat, 21 Oct 2023 11:01:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Subject: Re: Wirecompression
Posted by [SD](#) on Sat, 21 Oct 2023 11:46:20 GMT
[View Forum Message](#) <> [Reply to Message](#)
