
Posted by [shalamyansky](#) on Mon, 23 Oct 2023 15:55:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE MASTER (
```

```
    ID BIGINT NOT NULL
```

```
);
```

```
ALTER TABLE MASTER ADD CONSTRAINT PK_MASTER PRIMARY KEY (ID);
```

```
CREATE TABLE SLAVE (
```

```
    ID      BIGINT NOT NULL,
```

```
    ADDITION VARCHAR(100)
```

```
);
```

```
ALTER TABLE SLAVE ADD CONSTRAINT PK_SLAVE PRIMARY KEY (ID);
```

```
ALTER TABLE SLAVE ADD CONSTRAINT FK_SLAVE FOREIGN KEY (ID) REFERENCES  
MASTER (ID);
```

```
ALTER TABLE SLAVE ADD CONSTRAINT FK_SLAVE FOREIGN KEY (ID) REFERENCES  
MASTER(ID) USING INDEX PK_SLAVE;
```

ALTER TABLE SLAVE failed. Index PK_SLAVE already exists.

Posted by [sim_84](#) on Mon, 23 Oct 2023 16:43:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Tue, 24 Oct 2023 09:27:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Tue, 24 Oct 2023 10:37:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Tue, 24 Oct 2023 10:54:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

https://www.sqlru.net/index.php/mv/msg/89/2059/#msg_2059

Posted by [hvlad](#) on Tue, 24 Oct 2023 11:21:56 GMT

https://www.sqlru.net/index.php/mv/msg/89/2059/#msg_2059

Posted by on Tue, 24 Oct 2023 11:32:23 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 12:01:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE SLAVE (
    ID      BIGINT NOT NULL,
    ADDITION VARCHAR(100)
);
ALTER TABLE SLAVE ADD CONSTRAINT FK_SLAVE FOREIGN KEY (ID) REFERENCES
MASTER (ID);
```

```
select
*
from
```

```
SLAVE
where
ID = :ID
-----
PLAN (S INDEX (FK_SLAVE))
```

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 12:29:26 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 12:52:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 13:03:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

P.S.

```
if( not exist(
    select
        ID
    from
        SLAVE
    where
        ID = :ID
) )then begin
    insert into SLAVE
        ( ID ) values ( :ID )
;
end
```

Posted by [hvlad](#) on Tue, 24 Oct 2023 13:40:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Tue, 24 Oct 2023 13:52:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

shalamyanskyP.S.

Posted by on Tue, 24 Oct 2023 13:55:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by **shalamyansky** on Tue, 24 Oct 2023 14:31:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Tue, 24 Oct 2023 14:55:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by on Tue, 24 Oct 2023 15:00:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 15:30:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
create or alter procedure INSERT_INTO_SLAVE(
    ID bigint
)
as
begin
    if( not exists(
        select
            ID
        from
            SLAVE
        where
            ID = :ID
    ) )then begin

        insert into
            SLAVE
        ( ID )
    end
end
```

```
    values ( :ID )
;
end

end

insert into
  SLAVE
  ( ID )
values ( :ID )
;

execute procedure INSERT_INTO_SLAVE( :ID );
```

P.S.
