
Posted by [shalamyansky](#) on Mon, 23 Oct 2023 15:55:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE MASTER (  
    ID BIGINT NOT NULL  
);  
ALTER TABLE MASTER ADD CONSTRAINT PK_MASTER PRIMARY KEY (ID);  
  
CREATE TABLE SLAVE (  
    ID BIGINT NOT NULL,  
    ADDITION VARCHAR(100)  
);  
ALTER TABLE SLAVE ADD CONSTRAINT PK_SLAVE PRIMARY KEY (ID);  
ALTER TABLE SLAVE ADD CONSTRAINT FK_SLAVE FOREIGN KEY (ID) REFERENCES  
MASTER (ID);
```

```
ALTER TABLE SLAVE ADD CONSTRAINT FK_SLAVE FOREIGN KEY (ID) REFERENCES  
MASTER(ID) USING INDEX PK_SLAVE;
```

```
ALTER TABLE SLAVE failed. Index PK_SLAVE already exists.
```

Posted by [sim_84](#) on Mon, 23 Oct 2023 16:43:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by _____ on Tue, 24 Oct 2023 09:27:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Tue, 24 Oct 2023 10:37:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by _____ on Tue, 24 Oct 2023 10:54:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

https://www.sqlru.net/index.php/mv/msg/89/2059/#msg_2059

Posted by [hvlad](#) on Tue, 24 Oct 2023 11:21:56 GMT

https://www.sqlru.net/index.php/mv/msg/89/2059/#msg_2059

Posted by _____ on Tue, 24 Oct 2023 11:32:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 12:01:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE SLAVE (  
  ID      BIGINT NOT NULL,  
  ADDITION VARCHAR(100)  
);  
ALTER TABLE SLAVE ADD CONSTRAINT FK_SLAVE FOREIGN KEY (ID) REFERENCES  
MASTER (ID);  
  
select  
  *  
from
```

SLAVE
where
ID = :ID

PLAN (S INDEX (FK_SLAVE))

Posted by _____ on Tue, 24 Oct 2023 12:29:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 12:52:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 13:03:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

P.S.

```
if( not exist(
  select
    ID
  from
    SLAVE
  where
    ID = :ID
) )then begin
  insert into SLAVE
    ( ID ) values ( :ID )
;
end
```

Posted by [hvlad](#) on Tue, 24 Oct 2023 13:40:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by _____ on Tue, 24 Oct 2023 13:52:47 GMT
[View Forum Message](#) <> [Reply to Message](#)

shalamyanskyP.S.

Posted by _____ on Tue, 24 Oct 2023 13:55:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 14:31:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by _____ on Tue, 24 Oct 2023 14:55:50 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by on Tue, 24 Oct 2023 15:00:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [shalamyansky](#) on Tue, 24 Oct 2023 15:30:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
create or alter procedure INSERT_INTO_SLAVE(  
    ID bigint  
)  
as  
begin  
    if( not exists(  
        select  
            ID  
        from  
            SLAVE  
        where  
            ID = :ID  
    ) )then begin  
  
        insert into  
            SLAVE  
            ( ID )
```



```
        values ( :ID )
    ;
end
end
```

```
insert into
  SLAVE
  ( ID )
values ( :ID )
;
```

```
execute procedure INSERT_INTO_SLAVE( :ID );
```

P.S.
