
Posted by [JustAlex](#) on Mon, 04 Mar 2024 12:15:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
SELECT e.last_name,  
       e.first_name,  
       e.store_id as store_id_employee,  
       r.store_id as store_id_rank,  
       r.rank_id,  
       r.name as rank_name  
FROM employee e  
JOIN rank r  
  ON r.store_id = e.store_id  
  OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)  
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
SELECT e.last_name,  
       e.first_name,  
       e.store_id AS store_id_employee,  
       r.store_id AS store_id_rank,  
       r.rank_id,  
       r.name AS rank_name  
FROM employee e  
JOIN rank r  
  ON r.rank_id = e.rank_id  
  AND r.store_id != e.store_id  
  OR r.store_id = e.store_id  
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
FROM employee e
JOIN rank r
  ON r.store_id = e.store_id
  AND r.rank_id = e.rank_id
...
```

```
FROM employee e
JOIN rank r
  ON r.store_id = e.store_id
  OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)
```

```
SELECT e.last_name,
       e.first_name,
       e.store_id AS store_id_employee,
       r.store_id AS store_id_rank,
       r.rank_id,
       r.name AS rank_name
FROM employee e
JOIN rank r
  ON r.rank_id = e.rank_id
  AND r.store_id != e.store_id
  OR r.store_id = e.store_id
ORDER BY e.last_name, e.first_name, r.store_id, r.rank_id
```

```
ON r.rank_id = e.rank_id
AND r.store_id = e.store_id
OR r.store_id != e.store_id
```

File Attachments

1) , downloaded 515 times

Редактор кода

Решение



```
1 SELECT *  
2 FROM employee e|
```

Мой результат

| | employee_id | store_id | rank_id | first_ |
|---|-------------|----------|---------|--------|
| 1 | 1 | 100 | CHIEF | Алек |
| 2 | 2 | 200 | CHIEF | Кенн |

2)

, downloaded 518 times

Редактор кода

Решение



```
1 SELECT *
2 FROM rank e
```

Мой результат

| | store_id | rank_id | name |
|---|----------|---------|----------|
| 1 | 100 | CHIEF | Директор |
| 2 | 100 | MANAGER | Менеджер |

3)
times

, downloaded 523

Схема данных

Временные зоны

timezone_id

* time_offset

City

Города

city_id

* name

* timezone_id

Rank

Должности

store_id

rank_id

* name

Store_address

Адреса магазинов

* store_address_id

* store_id

Store

Магазины

store_id

* name



Posted by [BlackEric](#) on Mon, 04 Mar 2024 14:35:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

r.store_id = e.store_id
OR r.store_id != e.store_id

Posted by [hvlad](#) on Mon, 04 Mar 2024 21:26:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

r.store_id = e.store_id
OR (r.rank_id = e.rank_id AND r.store_id != e.store_id)

r.rank_id = e.rank_id
AND r.store_id != e.store_id
OR r.store_id = e.store_id

r.rank_id = e.rank_id
AND r.store_id = e.store_id
OR r.store_id != e.store_id

Posted by [JustAlex](#) on Tue, 05 Mar 2024 10:05:59 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Tue, 05 Mar 2024 10:52:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [JustAlex](#) on Wed, 06 Mar 2024 08:09:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

```
r.rank_id = e.rank_id  
AND r.store_id != e.store_id  
OR r.store_id = e.store_id
```

```
r.rank_id = e.rank_id  
AND r.store_id = e.store_id  
OR r.store_id != e.store_id
```

Posted by _____ on Wed, 06 Mar 2024 08:44:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Posted by [hvlad](#) on Wed, 06 Mar 2024 08:49:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

$r.rank_id = e.rank_id \text{ AND } r.store_id \neq e.store_id \text{ OR } r.store_id = e.store_id$

$r.rank_id = e.rank_id \text{ AND } r.store_id = e.store_id \text{ OR } r.store_id \neq e.store_id$

Posted by [JustAlex](#) on Wed, 06 Mar 2024 11:01:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

$r.rank_id = e.rank_id \text{ AND } r.store_id \neq e.store_id \text{ OR } r.store_id = e.store_id$

1) $r.rank_id = e.rank_id + r.store_id \neq e.store_id$

2) $r.rank_id = e.rank_id + r.store_id = e.store_id$

$(r.rank_id = e.rank_id \text{ AND } r.store_id \neq e.store_id)$

OR (r.rank_id = e.rank_id AND r.store_id = e.store_id

r.rank_id = e.rank_id AND r.store_id = e.store_id OR r.store_id != e.store_id

1) r.rank_id = e.rank_id + r.store_id = e.store_id

2) r.rank_id = e.rank_id + r.store_id != e.store_id

Posted by [hvlad](#) on Wed, 06 Mar 2024 14:11:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

r.rank_id = e.rank_id AND r.store_id != e.store_id OR r.store_id = e.store_id

...

(r.rank_id = e.rank_id AND r.store_id != e.store_id)

OR (r.rank_id = e.rank_id AND r.store_id = e.store_id

Posted by [JustAlex](#) on Wed, 06 Mar 2024 14:39:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

1) (x * y) + z

2) (a AND b) OR c

