
Posted by [BlackEric](#) on Tue, 05 Jul 2022 09:02:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [javadev](#) on Tue, 05 Jul 2022 13:23:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [BlackEric](#) on Tue, 05 Jul 2022 13:33:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [WildSery](#) on Wed, 06 Jul 2022 08:29:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [cav_inc](#) on Tue, 12 Jul 2022 05:26:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [BlackEric](#) on Tue, 12 Jul 2022 07:04:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [vdeltsov](#) on Sat, 06 Aug 2022 18:32:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Posted by [vdeltsov](#) on Sat, 06 Aug 2022 18:35:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

```

ALTER TRIGGER [dbo].[Branches_SybaseRep]
ON [dbo].[Branches]
FOR INSERT, UPDATE, DELETE
AS
BEGIN

if dbo.f_IsTableMsSql('Branches') = 0 and dbo.f_GetUserDB() != 'PLREPL' and (select top 1 1
from inserted) is not null and (select top 1 1 from deleted) is null
begin
rollback transaction;

return;
end

-- delete or update Primary Key column
if (select top 1 1 from deleted) is not null
insert into dbo.AdmRepIToSybase(TableName, sqlText)
select 'Branches', concat(
'delete dbo.BrancheS where "PrID"=', convert(varchar(max), t."PrID"))
from deleted t
where not exists (select 1 from inserted a where a."PrID" = t."PrID")

-- insert or update Primary Key column
if (select top 1 1 from inserted) is not null
insert into dbo.AdmRepIToSybase(TableName, sqlText)
select 'Branches', concat(
'insert dbo.BrancheS ("PrID"
, "Name")
values (
, isnull(convert(varchar(max), t."PrID"), 'null')
, ', isnull(''"+dbo.f_qs(t."Name")+''', 'null'),)')
from inserted t
where not exists (select 1 from deleted a where a."PrID" = t."PrID")

-- update columns except Primary Key
if (select top 1 1 from deleted) is not null and (select top 1 1 from inserted) is not null
insert into dbo.AdmRepIToSybase(TableName, sqlText)
select 'Branches', concat(
'update dbo.BrancheS set ', substring(sqlText, 2, len(sqlText)-1))
from (select concat("
, case when update("Name") then ', "Name"='+isnull(''"+dbo.f_qs(t."Name")+''', 'null') else " end
, ' where "PrID"=', convert(varchar(max), t."PrID")) as sqlText
from inserted t
where exists (select 1 from deleted a where a."PrID" = t."PrID")
) tt

```

END

Posted by [vdeltsov](#) on Sat, 06 Aug 2022 18:38:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

PostgreSQL.

<https://postgrespro.ru/education/courses>
