Posted by marcodor on Fri, 21 Feb 2025 09:49:12 GMT
View Forum Message <> Reply to Message

```
select
  b.id, b.fdate,
  c.code, c.name
from ta_bundle b
left join ta_entity c on (c.id = b.entity_id)
rows 1000 to 1010
```

```
Select Expression
    -> First N Records
        -> Skip N Records
            -> Nested Loop Join (outer)
                -> Table "TA_BUNDLE" as "B" Full Scan
                -> Filter
                    -> Table "TA_ENTITY" as "C" Access By ID
                        -> Bitmap
                            -> Index "PK_TA_ENTITY" Unique
Scan
```

TA_BUNDLE - 1010
TA_ENTITY - 1010

select

```
  b.id, b.fdate,
  c.code, c.name
from ta_bundle b
left join lateral (
  select c.code, c.name
  from ta_entity c
  where c.id = b.entity_id) c on true
rows 1000 to 1010
```

```
select
  b.id, b.fdate,
  -- ? c.code
  (select c.name from ta_entity c where c.id = b.entity_id)
from ta_bundle b
rows 1000 to 1010
```

Posted by marcodor on Fri, 21 Feb 2025 11:27:45 GMT
View Forum Message <> Reply to Message

```
with b as (
  select
    b.id, b.fdate, b.entity_id
  from ta_bundle b
  rows 1000 to 1010
  )
select
  b.id, b.fdate,
  c.code, c.name
from b
left join ta_entity c on (c.id = b.entity_id)
```

Posted by SD on Fri, 21 Feb 2025 11:38:38 GMT
View Forum Message <> Reply to Message

Posted by marcodor on Fri, 21 Feb 2025 11:52:08 GMT
View Forum Message <> Reply to Message

999

Posted by SD on Fri, 21 Feb 2025 21:59:19 GMT
View Forum Message <> Reply to Message

Posted by marcodor on Mon, 24 Feb 2025 09:49:10 GMT
View Forum Message <> Reply to Message

```
-> Filter
   -> Table "TA_ENTITY" as "C" Access By ID
      -> Bitmap
         -> Index "PK_TA_ENTITY" Unique Scan
```

Posted by SD on Mon, 24 Feb 2025 12:42:57 GMT
View Forum Message <> Reply to Message

Posted by marcodor on Mon, 24 Feb 2025 15:09:49 GMT
View Forum Message <> Reply to Message

rows.

Posted by sim_84 on Tue, 25 Feb 2025 06:28:33 GMT
View Forum Message <> Reply to Message

```
create view v as
select
  b.id, b.fdate,
  c.code, c.name
from ta_bundle b
```

left join ta_entity c on c.id = b.entity_id;

select count(*) from v;

Posted by marcodor on Tue, 25 Feb 2025 06:56:30 GMT
View Forum Message <> Reply to Message

Posted by pastor on Tue, 25 Feb 2025 07:22:33 GMT
View Forum Message <> Reply to Message

Posted by sim_84 on Tue, 25 Feb 2025 10:59:34 GMT
View Forum Message <> Reply to Message

Posted by basid on Tue, 25 Feb 2025 14:58:15 GMT
View Forum Message <> Reply to Message

Posted by pastor on Wed, 26 Feb 2025 04:58:48 GMT
View Forum Message <> Reply to Message

Posted by sim_84 on Wed, 26 Feb 2025 06:23:14 GMT
View Forum Message <> Reply to Message

Posted by pastor on Wed, 26 Feb 2025 06:27:38 GMT

View Forum Message <> Reply to Message

Posted by basid on Wed, 26 Feb 2025 07:05:24 GMT
View Forum Message <> Reply to Message

Posted by kdv on Wed, 26 Feb 2025 11:51:28 GMT
View Forum Message <> Reply to Message

Posted by marcodor on Thu, 27 Feb 2025 17:45:10 GMT
View Forum Message <> Reply to Message

Posted by SD on Thu, 27 Feb 2025 22:26:40 GMT
View Forum Message <> Reply to Message

Posted by avp on Fri, 28 Feb 2025 17:05:03 GMT
View Forum Message <> Reply to Message

Posted by avp on Fri, 28 Feb 2025 17:10:13 GMT
View Forum Message <> Reply to Message

Posted by sim_84 on Mon, 03 Mar 2025 07:07:06 GMT
View Forum Message <> Reply to Message

Posted by SD on Mon, 03 Mar 2025 12:35:06 GMT
View Forum Message <> Reply to Message

Posted by sim_84 on Mon, 03 Mar 2025 18:03:03 GMT
View Forum Message <> Reply to Message