
Posted by [akrush](#) on Sat, 11 Jun 2022 19:39:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
CREATE TABLE ALL_srv (
  COD_ORG SMALLINT NOT NULL,
  COD_POSL SMALLINT,
  COD_RIZN SMALLINT,
  data_e DATE
);
CREATE TABLE all_TAR (
  MARK varchar(15),
  COD_POSL SMALLINT NOT NULL,
  COD_RIZN SMALLINT NOT NULL,
  COST_UNIT NUMERIC(10,5),
  COST_UN1 NUMERIC(10,5),
  NORM NUMERIC(10,5)
);
commit;

INSERT into ALL_srv SELECT DISTINCT cod_org, 4, posl4, max(data_e) from SERVICE1
WHERE posl4<>0 group BY cod_org, posl4;
INSERT into ALL_srv SELECT DISTINCT cod_org, 8, posl8, max(data_e) from SERVICE1
WHERE posl8<>0 group BY cod_org, posl8;
commit;

tr.COST_UNIT, tr.COST_UN1, tr.NORM
  from TARIF1 tr where tr.data_e is NULL and tr.tarn=0 and tr.cod_posl=4 and tr.numb=1;

tr.COST_UNIT, tr.COST_UN1, tr.NORM
  from TARIF1 tr where tr.data_e is NULL and tr.tarn=0 and tr.cod_posl=8 and tr.numb=1;

CREATE INDEX IDX_ALL_srv ON ALL_srv (COD_ORG,COD_POSL,COD_rizn);
commit;

select
```

```

tr.MARK,
tr.COD_POSL,
tr.COD_RIZN,
tr.COST_UNIT,
tr.COST_UN1,
tr.NORM,
list(distinct sr.COD_ORG,','),
max(sr.DATA_E)
from ALL_TAR tr
LEFT JOIN all_srv sr on tr.COD_POSL=sr.COD_POSL and tr.COD_RIZN=sr.COD_RIZN
group BY tr.MARK,
tr.COD_POSL,
tr.COD_RIZN,
tr.COST_UNIT,
tr.COST_UN1,
tr.NORM

```

WITH ALL_TAR as (

```

select
case MARK

```

```

end as lich,
COD_POSL,
COD_RIZN,
COST_UNIT,
COST_UN1,
NORM

```

```

from
TARIF1

```

```

where
data_e is NULL and
tarn=0 and
cod_posl=4 and
numb=1

```

```

union all
select
case MARK

```

```

end as lich,
COD_POSL,
COD_RIZN,
COST_UNIT,

```

```

COST_UN1,
NORM
from
  TARIF1
where
  data_e is NULL
  and tarn=0
  and cod_posl=8
  and numb=1)
with all_srv as (
  SELECT DISTINCT
    cod_org,
    4,
    posl4,
    max(data_e)
  from SERVICE1
  WHERE posl4<>0
  group BY cod_org, posl4
  union all
  SELECT DISTINCT
    cod_org,
    8,
    posl8,
    max(data_e)
  from SERVICE1
  WHERE posl8<>0
  group BY cod_org, posl8);

```

```

select
  tr.MARK,
  tr.COD_POSL,
  tr.COD_RIZN,
  tr.COST_UNIT,
  tr.COST_UN1,
  tr.NORM,
  list(distinct sr.COD_ORG, '; '),
  max(sr.DATA_E)
from ALL_TAR tr
LEFT JOIN all_srv sr on tr.COD_POSL=sr.COD_POSL and tr.COD_RIZN=sr.COD_RIZN
group BY tr.MARK,
  tr.COD_POSL,
  tr.COD_RIZN,
  tr.COST_UNIT,
  tr.COST_UN1,
  tr.NORM

```
